


TOPICS 主題

- 1. How does recent legislation impact Shared Spaces operators? 15 minutes 最近的立法對共用空間營運商有何影響?
- 2. When do regulations go into effect? 30 minutes 法規何時生效?
- 3. Who and how is the program benefitting? 10 minutes 計畫對誰有益,以及如何使之受益?
- 4. What resources are available for Shared Spaces operators? 5 minutes 共用空間營運商可以使用哪些資源?
- 5. Questions & Discussion 30 minutes 問題與討論


Where are Shared Spaces?

共用空間在哪裡?



Shared Spaces Heroes

共用空間英雄






Please nominate #SharedSpacesSFHeroes by emailing Shared.Spaces@sfgov.org

請寄送電子郵件至 Shared.Spaces@sfgov.org 以提名

Shared Spaces of the Week

每週的共享空間





Equity Grants: Round 2.2 Now Live!



Tables & Chairs



Enclosures & Planters



Barricades & Diverters

Use los fondos para materiales como mobiliario o barreras de tránsito móviles. Los artículos como barreras y muebles se le pueden reembolsar o comprar para usted.


使用補助金購買可移動的傢俱或交通隔離物等材料。您可以獲得購買隔離物和傢俱等物品的補償,或者享有代購服務。

Equity Grants Program Overview

公平撥款資助計畫概覽



公平撥款資助計畫概覽



Round 3 Arts & Culture Activation Grants



To be eligible, the site must:

- 1. Have a Shared Space Permit
- 2. Have the appropriate permit from the Entertainment Commission (JAM, FPAS, LLP, etc)
- 3. Have a proposal for recurring, regular activations that will...
- 4. Leverage Bay-Area based musicians and other performing artists, who would be the recipients of the grant awards.

第三輪的文化藝術撥款



為了符合條件,該場地必須:

- 1. 持有共享空間許可證
- 2. 從娛樂委員會獲得合適地許可證 (JAM, FPAS, LLP, 等等)
- 3. 持有一個循環的,定期的激活提案,這將……
- 4. 使用獲得撥款的灣區音樂家和其他藝術家們.

Round 4 Technical Assistance Grants



A mixture of non-commercial recreational, cultural, educational, and social service activations.

Examples of Technical Assistance Support:

- Project scoping, development & community engagement
- Site Design
- Ambassador, safety, and activation plans
- Event staffing with ambassadors or intersection monitors

技術援助撥款




混合非商業娛樂,文化,教育和社區服務的活動

技術援助支持的例子:


- 項目監測, 發展和社區著重點
- 定點設計
- 社區大使, 安全和活動策劃
- 活動中的社區大使或活動監測人員

Equity Grants: Selection Priorities



- 1. Hardest hit by the COVID-19 pandemic, with **high** rates of cases and deaths
- 2. Neighborhoods with a higher density of vulnerable populations, including but not limited to people of color, seniors, youth, people with disabilities, linguistically isolated households, and people living in poverty or unemployed defined as "Areas of Vulnerability" by DPH
- 3. In established Cultural Districts
- 4. Registered as **legacy businesses**
- 5. Below \$2.5M in gross receipts
- 6. Not already receiving grants through other City grants programs like SF Shines

公平撥款:選擇優先條件



- 1. 受 COVID-19 疫情影響最嚴重, 高發病率和 死亡率
- 2. 弱勢人口密度較高的社區,包括但不限於有色人種、老年人、青少年、殘障人士、語言孤立的家庭以及 DPH 定義為「弱勢地區」的生活貧困或失業的人
- 3. 在已建立的文化區
- 4. 註冊為傳奇企業
- 5. 總收入低於 250 萬美元
- 6. 並未通過 SF Shines 等其他城市撥款計畫獲 得補助

Grants & Resources

	SF Shines Design Services	SF Shines Construction	Shared Spaces Compliance	Shared Spaces Arts & Culture. Technical Asst.
Eligible Sites	Brick & Mortar	Brick & Mortar	SS Sidewalks & Parklets only	SS Roadway SS Lots / Parcels
Applications Accepted	April 1, 2022 – (no close date)	July 1, 2022 – (no close date)	September 1 – November 11, 2022	(Summer 2022, TBA)
Grant Type	Services (Design)	Cash Reimbursement (materials & labor)	Cash Reimbursement (materials & labor)	Services (Design, Operations, & Activation)
Weblink	sf.gov/sf-shines		sf.gov/shared-spaces-equity	

撥款與資源

	三藩市店面改善計劃	三藩市店鋪建設計劃	共用空間道路地塊/區域	Shared Spaces Arts & Culture. 技術援助撥款
合資格的地方	實體店面	實體店鋪	只適用於共用空間人行道和 停車位	共用空間道路 地塊/區域
接受申請日	2022年4月1日 (無戒指日期)	2022年7月1日 (無截至日期)	September 1 – November 11, 2022	(暫定2022年夏季)
撥款類型	服務(設計	現金返還 (無聊和人力)	現金返還 (無聊和人力)	服務(設計,開發和活化)
網頁	sf.gov/sf-shines		sf.gov/shared-spaces-equity	

Phasing Implementation with Economic Conditions

根據經濟條件分階段實施 **Pandemic Permits in Effect Apply for Post-Pandemic Permit Post-Pandemic Permit Effective Agencies Assess Sites Agencies Issue Correction Notices** Repair, Resize, Relocate, or Remove **Fines for ADA and Safety Violations Permit and License Fees Waived Permit Fees Assessed Ordinance Passed Ordinance Amended** AUG SEP OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC 2021

Coordinated Enforcement

協調執法



Date Printed: 8/23/2022

Dear Shared Spaces Permit Holder:

We all recognize the impacts the pandemic shutdown had on local businesses and the challenges many are facing reopening and rebuilding. We are currently focusing enforcement efforts on life-safety and significant ADA issues. Economic recovery from the COVID-19 pandemic will be an ongoing process in the months ahead. To stabilize neighborhood businesses, the Shared Spaces Ordinance allows for a staggered transition from the emergency, pandemic version of Shared Spaces to the permanent version of the program. We are eager to provide you with as much advice as possible using the email addresses below.

Design and operating regulations will go into effect gradually over time. This will help minimize negative financial impacts for Shared Spaces sponsors who need to make modifications. These rules ensure disabled access, emergency response,

See below for issues that require immediate attention, as well as other issues that can wait until March 2023 should you desire to transition into the permanent program. Departments listed below may be in touch in the months ahead with additional items. You will receive separate communication regarding timelines for the items listed below.

Business:	The Blue Legume
Dusinicss.	

BOS District

1234 PARKLET ST, SAN FRANCISCO, CA, 94103

D 03

COMPLIANCE ISSUES (BY CITY AGENCY)	SHARED SPACES MANUAL *
DPW BSM (Contact Fady Khoury, SharedSpacesPermit@sfdpw.org)	
Built Platform Structure Non ADA	P.1-P.4; P.18; P. 29
Lack Of ADA Accessible Seating	P.42
Flooding	P.15
SFFD Bureau of Fire Prevention (Contact Lt. Sy, FireSharedSpaces@sfgov.org)	
Required Gap For SFFD Access	P.19
Structure Blocks View 42 Inches	P.63; P.64; P.76

Assessment has been completed Color Curb Issues: Yellow; Structure has been built too wide or too long and/or is not in the space identified when the temporary permit was approved. MTA Legislated Space: Parklet Street, North side, from 173 feet to 245 feet East of 8th St at meter number(s) 555-55550, 555-55551, 555-55552 . Total 72 ft zone.

Please reference SEC. 94A.3. SHARED SPACES POLICIES AND OBJECTIVES for the relevant code section for the Curb Management Strategy.

To see if your business qualifies for a grant to enhance or improve your Shared Space, please visit https://sf.gov/topics/small-business-storefronts to see funding available now.

③ 311 Free language assistance / 免費語言協助 / Ayuda gratis con el idioma / Бесплатная помощь переводчиков / Trợ giúp Thông dịch Miễn phí / Assistance linguistique gratuite / 無料の言語支援 / 무료 언어 지원 / Libreng tulong para sa wikang Filipino / ภาวช่วยเหลือทางด้านภาษาโดยไม่เสียค่าใช้จ่าย / خِدْرَا وَلِيَا وَلِأَوْمِ اللَّهِ وَلَوْجِهِ اللَّهِ وَلَا مِنْ اللَّهِ عِنْ إِذِينَ اللَّهِ عِنْ إِنْ اللَّهِ عِنْ اللَّهِ اللَّهِ عَنْ اللَّهِ عِنْ اللَّهِ عَنْ اللَّهِ عَلَيْكُ اللَّهِ اللَّهِ عَنْ اللَّهِ عَنْ اللَّهِ عَنْ اللَّهِ عَلَيْكُ اللَّهِ عَنْ اللَّهِ عَنْ اللَّهِ عَنْ اللَّهِ عَلَيْكُ اللَّهُ عَلَيْكُ اللَّهُ عَلَيْكُ اللَّهُ عَلَيْكُ عِنْ اللَّهِ عَلَيْكُ عِنْ اللَّهِ عَلَيْكُ اللَّ

DEC DEION TOF 1330E3 CHACTEGORE INTINEGRAC ACCURATION, AS WELL AS OCHES 1330E3 CHACCALL WAIL AND MARCH ZOZZ SHOULD YOU desire to transition into the permanent program. Departments listed below may be in touch in the months ahead with additional items. You will receive separate communication regarding timelines for the items listed below.

The Blue Legume Business:

BOS District

1234 PARKLET ST, SAN FRANCISCO, CA, 94103

D 03

Type: Parking Lane

COMPLIANCE ISSUES (BY CITY AGENCY)	SHARED SPACES M	ANUAL*
DPW BSM (Contact Fady Khoury, SharedSpacesPermit@sfdpw.org)		
Built Platform Structure Non ADA	P.1-P.4; P.18; P.	29
Lack Of ADA Accessible Seating	P.42	
Flooding	P.15	
SFFD Bureau of Fire Prevention (Contact Lt. Sy, FireSharedSpaces@sfgov.org)		
Required Gap For SFFD Access	P.19	
Structure Blocks View 42 Inches	P.63; P.64; P.7	6

SFMTA Assessment (Contact Francesca Napolitan, SharedSpaces@sfmta.com)

Assessment has been completed.

Color Curb Issues: Yellow;

Structure has been built too wide or too long and/or is not in the space identified when the temporary permit was approved. MTA Legislated Space: Parklet Street, North side, from 173 feet to 245 feet East of 8th St at meter number(s) 555-55550, 555-55551, 555-55552. Total 72 ft zone.

Please reference SEC. 94A.3. SHARED SPACES POLICIES AND OBJECTIVES for the relevant code section for the Curb Management Strategy.

^{*}The Shared Spaces Manual is available at sf.gov/shared-spaces-manual (VERSION 1.1 11.22.2021)

Sidewalks and Curbside: Shared Spaces Design Guidelines



人行道和路邊: 共用空間設計指南

Priority Violations for Pandemic Program




Accessibility

無障礙設施



Fire Safety

消防安全與緊急通道



Sightlines

視線



Abandonment

汝弃

ADA、緊急通道和十字路口安全





ADA、緊急通道和十字路口安全





Accessibility

無障礙設施





- A Sidewalk diverters at 90 degrees flush with building, at each end of Shared Space.
 Minimum Dimensions: 30 inches high, 12 inches wide, 24 inches long
- B Minimum 8-feet wide continuous clear path for pedestrians (where feasible)
- 4-feet clearance surrounding area beneath fire escape ladders
- Page 14

- D Sidewalk Shared Spaces may not occupy the space adjacent to the curb, regardless of curb color. Exceptional circumstances may be considered if a hardship is present
- E 5-feet clearance around a fire hydrant
- Provide at least one 30-inches x 48-inches clear space for wheelchair users at accessible tables. If a counter is provided, the accessible counter portion shall be 60" minimum in length.
- G 3-feet clearance around Fire Department connections on buildings
- Bus stop zones must be maintained clear of furniture and structures. No furniture shall be placed within 10 feet of a bus shelter structure
- Curb return and all curb ramps shall not be obstructed by Shared Space elements.

Shared Spaces Manual | Design Guidelines and Regulations

All people must be able to pass safely and comfortably through streets and sidewalks.

確保所有人都能安全舒適地穿過街道和人行道。

Maintain a minimum 6-foot-wide continuous path for pedestrians on the sidewalk clear of tables, chairs, and other fixtures.

在人行道上為行人設置至少6英尺寬的連續通路,不擺設任何桌椅或其他固定裝置。

Place diverters at each end of the Shared Space to guide pedestrians away from occupied area of the sidewalk

在共用空間的每一端設置分隔島,引導行人避開佔用的區域





Doesn't provide a clear 6-foot-wide path of travel

未提供6英尺寬的暢通通道



Doesn't provide a clear 6-foot-wide path of travel

未提供6英尺寬的暢通通道



6-foot-wide clear path of travel


6 英尺寬的暢通通道

Doesn't provide diverter at each end on the sidewalk

未在人行道的兩端設置分隔島




ASAP



A platform is not required to make your Shared Space accessible. You can provide equivalent accessible amenities on the sidewalk or via an accessible ramp

為使您的共用空間暢通無阻,無需設置平臺您可以在人行道上或利用無障礙坡道提供等效的無障礙設施



Platform is even with the sidewalk

平臺與人行道平齊

OR

ADA dining facility on sidewalk

或人行道上的ADA餐飲設施



Fire Safety & Emergency Access

消防安全與緊急通道



A 3-foot-wide emergency access gap, open to the sky, provided for every 20 feet of the structure's length.

3 英尺寬、向上敞開的緊急通道缺口



Fire Safety & Emergency Access

消防安全與緊急通道



A 3-foot-wide emergency access gap, open to the sky, provided for every 20 feet of the structure's length.

3 英尺寬、向上敞開的緊急通道缺口



3' Emergency Access Gaps



Gaps, open to the sky, for firefighter and paramedic access





Blocking multiple building ingress and egress points



No through-access for firefighting ladders and medical gurneys

緊急通道間隔



間隔向上敞開讓消防員和護理人員通過





妨礙多個建築物入口和出口






3' Emergency Access Gaps

ASAP

緊急通道間隔



plant in path of travel



Beams and cables overhead



tables & chairs in path of travel



Solid wall in 3' gap, tables & charis in path of travel



3' Emergency Access Gaps

ASAP


緊急通道間隔



在通道上的植物



在通道上的桌子和椅子



頂棚上的木樑和電纜




間隔中的實心牆, 在通道上的桌子和椅子

U










Electrical Cables 电缆





消防安全與緊急通道



Sightlines above 42" Airflow above 42"

保持高於 42 英寸上方的視線與能見度保持高於 42 英寸上方的空氣流通

12" clearance from edge of parking lane


距停車道至少 12 英寸遠

3-foot-wide emergency access gap, open to the sky

3 英尺寬、向上敞開的緊急通道缺口



消防安全與緊急通道



Sightlines above 42" Airflow above 42"

保持高於 42 英寸上方的視線與能見度保持高於 42 英寸上方的空氣流通

12" clearance from edge of parking lane

距停車道至少 12 英寸遠

3-foot-wide emergency access gap, open to the sky

3 英尺寬、向上敞開的緊急通道缺口

ASAP

消防安全與緊急通道



No Sightlines & visibility above 42"

保持高於 42 英寸上方的視線與能見度

3-foot-wide gap is not open to the sky

未設置3英尺寬的向上敞開的缺口



消防安全與緊急通道



Sightlines above 42" Airflow above 42"

保持高於 42 英寸上方的視線與能見度保持高於 42 英寸上方的空氣流通

3-foot-wide emergency access gap, open to the sky

3 英尺寬、向上敞開的緊急通道缺口

Barriers help visually impaired but are easily moved in emergencies

設置有助於視障者、但情況緊急時容易搬動的障礙物



消防安全與緊急通道



Address for storefront is displayed

在店面外標有地址

3-foot-wide emergency access gap is not open to the sky

未設置3英尺寬的向上敞開的缺口

Barriers are not easily detectable by visually impaired

視障者不易察覺到障礙物

Fire Safety & Emergency Access 消防安全與緊急通道






N3-foot-wide emergency access gap is not open to the sky

未設置 3 英尺寬的向上敞開的缺口

No address displayed

未標有詳細地址

消防安全與緊急通道



Propane Heaters cannot be placed underneath overhead canopies, awnings, inside buildings or tents.

丙烷加熱器不得放置在頂棚、遮陽蓬、建築物或帳篷內

They must have 5-foot clearance from any flammable materials.

他們必須與所有易燃物保持5英尺的距離





消防安全與緊急通道



Propane Heater has a 5-foot clearance from flammable materials

與易燃物保持5英尺的距離





消防安全與緊急通道



Propane Heater placed underneath an overhead canopy

置於頂棚下面





Sightlines & Airflow

視線與空氣流動



Allows airflow through structure

讓空氣在建築物內流動




Sightlines blocked No visibility above 42"

視線受阻 高於 42 英寸上方沒有能見度

Balancing Curbside Functions: Eligibility Assessment

平衡路邊功能:資格條件評估

Curb Functions Prioritized by Land Use



Curb Functions Access for People Active space that prioritizes transit boardings, and accommodates pick-ups/drop-offs, and shared-mobility services Access for Goods Space for deliveries of different types and sizes, used for short periods of time **Public Space and Services** Curb designated for use by people and public services **Storage for Vehicles** Space intended to be occupied by vehicles for extended periods, such that no other users can access the space Movement Curb lane is used for the through-movement

of motorized and non-motorized means

unavailable for other functions

of transportation, such that the curb lane is

Balancing Curbside Functions: Eligibility Requirements









To remain in the codified non-emergency program, some parklets will need to resize, relocate, or be removed to allow for:

- Transit Boarding Zones
- "Daylighting" Intersections
- Yellow, White, and Blue Zones

These parklets were notified in 2022

平衡路邊功能: 資格規定









為了繼續留在經過編纂的非緊急計畫中,需要重新調整大小、搬遷或拆除一 些路邊微公園以允許:

- 公共交通工具上車區
- •「加亮顯眼」十字路口
- 黄色、白色和藍色劃線區域

這些路邊微公園將從 2022 年冬季開始 收到通知

ASAP

Visibility at Intersections – Vision Zero 十字路口的能見度——零死亡願景 (Vision Zero)



8' – 20' Setback from Crosswalks



Difficult for pedestrians to see oncoming cars



Difficult for motorists to see pedestrians entering crosswalk



Increased vulnerability for cyclists and wheelchair users

ASAP


Visibility at Intersections – Vision Zero 十字路口的能見度——零死亡願景 (Vision Zero)



8'-20' 從人行橫道縮進



行人難以看到迎面而來的車輛




駕駛者難以看到進入人行橫道的行人



增加騎自行車者和輪椅使用者的危險性

Two parking spaces maximum

最多兩個車位



Site Treatments & High Visibility



- Visibility: You must mark the edges or corners of your enclosure with yellow high intensity retro-reflective tape or reflectors to be visible to drivers at night.
- Flexible Delineator Posts: Purchase four standardized flexible delineator posts, two for each end of the parklet.
- Signage: The 3-feet setbacks must be kept clear from obstructions like garbage bins, bicycles, motorcycles, or scooters at all times. Signage will be provided.


場地處理和高能見度



- 能見度:您必須在邊緣或角落放置黃色高強度反光膠帶或反射器標記,以 便駕駛員在夜間可見.
- 可移動的輪廓柱:購買4個標準的可移動的輪廓柱,每邊末端放置2个
- 標牌:3英尺的縮進必須保持無障礙, 请清除障礙物如垃圾箱、自行車、摩 托車或踏板車。會提供標牌


3' Setbacks from parklets and parking spots






3' 從路邊微公園和停車位縮進











沒有可供消防梯和醫療輪床通過的便道

Public Access: Curbside Use Types & Rules



公共通道:路邊使用類型和規則







Public Parklet

公共路邊微公園

Movable Commercial Parklet

可移動商業路邊微公園

3 Commercial Parklet

商業路邊微公園



Public Access: Curbside Use Types & Rules



公共通道:路邊使用類型和規則

TIER	TYPE Like pre-C parklet		\$ COMMERCIAL ACTIVITY	DAILY OCCUPANCY	CONSTRUCTION
1	Public Parklet	Entire facility	None	24 hours	Fixed Structure
2	Movable Commercial Parklet	At least one seating facility during hours of commercial operation	During hours of operation	During hours of Operation	Movable Fixtures
3	Commercial Parklet	At least one seating facility during hours of commercial operation; otherwise entire facility between 7am and 12am	During hours of operation	24 hours	Fixed Structure
		most Shared aces today			

公共通道:路邊使用類型和規則



等級	類型 像 COVID 之 的路邊微公園		\$ 商業活動	日常佔用	施工
1	公共路邊微 公園	整個設施	無	24 小時	固定結構
2	可移動商業路邊微公園	在商業經營期間至少 有一個座位設施	在營業時間內	在營業時間內	可移動固定設置
3	商業路邊微公園	在商業經營期間至少有一個 座位設施;否則上午7點 至12點之間整個設施在營 業時間內	在營業時間內	24 小時	固定結構

像今天的大多



Public Access: Curbside Use Types & Fees

公共通道:路邊使用類型和費用

TIE		OCCUPANCY FEES			
R	TYPE	Permit (d	one time)	Annual License	
1	Public Parklet 公共路邊微公園	\$1,000	\$250	\$100	
2	Movable Commercial Parklet 可移動商業路邊微公園	\$2,000	\$1,000	\$1,500	
3	Commercial Parklet 商業路邊微公園	\$3,000	\$1,500	\$2,000	
		First Parking Space	Each Additional Parking Space	Per Parking Space	
	1/2 fee waiver for businesses with ≤ \$2M in SF gross r				

Public Access: a seating area open to all



公共通道:開放給所有人的休息區



"Commercial Parklets shall provide alternate public seating, which is accessible to persons who are not patrons of the business for any period when the Curbside Shared Space is being activated for commercial use by the business. Alternate public seating shall include at least one public bench or other seating arrangement for every 20 linear feet of Curbside Shared Space."

§ ADM 94.A.6 (b) (1)

「商業微公園應提供備用公共座位,即使企業啟動路邊共用空間用於商業用途的期間並不是這家企業的顧客,也可以使用這些座位。每20英尺長的路邊共用空間,備用公共座位應包括至少一個公共長椅或其他座位安排。」

sf.gov/sharedspaces

§ ADM 94.A.6 (b) (1)


Shared Spaces



Drainage

排水引流





Prevent flooding onto sidewalks by allowing for drainage of rainwater in the gutters during storm events.

在人行道旁設置排水溝,以防止暴雨期間雨水淹沒人行道。

6-inch-wide x 6-inch-high minimum clear gutter space must be provided along the entire length of the curb.

在整條路緣都設有至少6英寸寬、6英寸高的排水空間。



Drainage 排水引流





No 6"x6" clear opening along the gutter


沿著排水溝未設有6平方英寸的排水空間



Drainage

排水引流





Platform is even with the sidewalk

平臺與人行道平齊

6"x6" clear along the gutter

沿著排水溝設有6平方英寸排水空間



Drainage

排水引流





6"x6" clear opening along the gutter


沿著排水溝設有6平方英寸排水空間

1-foot clearance from edge of parking lane

與停車道邊緣沒有1英尺的距離

Permit Application Timeline





application is received, the Shared Spaces Team will review your application

and site plan.

- your permit will be conditionally approved
- you will be given time to make modifications to your existing structure, or install a new structure. The structure must match your approved site plan

After your Shared
Space is deemed
compliant, Public
Works will issue
your permit and site
signage

許可證申請表格時間線





Other Resources for Businesses

- All resources available at sf.gov/shared-spaces
- 2. Permit Application Worksheet
- 3. Shared Spaces Manual 2.1 (October 2022)
- 4. Application and Site Plan Workshop: Next one on November 14th
 - List of Architects, Designers and
 Builders who attended our parklet
 design training

- 5. Emergency Response at Shared Spaces Public Service Announcement
- 6. Intersection Safety and Visibility for Shared Spaces Public Service Announcement
- 7. Shared Spaces
 Events: sf.gov/information/shared-spaceswebinars-and-events
- 8. Sign up for our Shared Spaces Mailing List for frequent bulletins from the program

其他商業資源

- 1. 所有資源可在sf.gov/shared-spaces 查詢.
- 2. Permit Application Worksheet 共享空間應用程序工作表.
- 3. Shared Spaces Manual 2.1 (October 2022) 共享空間手冊 2.1 (十月2022)
- 4. Application and Site Plan Workshop: Next one on November 14th 申請表格和基地圖工作坊:下一次在11月14號
 - List of Architects, Designers and Builders who attended our parklet design training
 - 建築師、設計師和建築商名單,他們參加了我們的場地設計培訓

- 5. Emergency Response at Shared Spaces Public Service Announcement 共享空間緊急響應的公共服務聲明
- 6. Intersection Safety and Visibility for Shared Spaces Public Service Announcement 共享空間十字路口安全和可見性的公共服務聲明.
- 7. Shared Spaces
 Events: <u>sf.gov/information/shared-spaces-webinars-and-events</u>共享空間活動
- 8. 註冊共享空間郵件列表獲取此方案的頻繁公告

Shared Spaces Contact Info 共享空間的聯繫方式資料

- General Shared Spaces Questions? Email: <u>sharedspaces@sfgov.org</u> 如有問題關於共享空間,請電郵
- Footprint and Loading Zone Questions? Email: <u>sharedspaces@sfmta.com</u>
 如有問題關於足跡和裝載區,請電郵
- Application Status and ADA Accessibility Questions: <u>sharedspacespermit@sfdpw.org</u> 如有問題關於申请表格状态或ADA無障礙設施, 請電郵
- Report Shared Spaces abandonment or complaint: <u>sf.gov/shared-spaces-311</u>
 舉報廢止的 共享空間或投訴, 請電郵
- Shared Spaces Equity Grants for compliance: <u>sharedspaces@sfnewdeal.org</u> or <u>sharedspaces@sfgov.org</u> 讓「共享空間」合規的公平拨款,請電郵

THANK YOU!

謝謝您!

¡GRACIAS!

Questions?

問題

Preguntas

Robin Abad Ocubillo

Shared Spaces Program Director

Annie Yalon

Deputy Program Manager

Monica Munowitch

Deputy Program Manager

Gregory Slocum

Permits Manager

Michael Lennon

Enforcement

Ken Cofflin

San Francisco Fire Marshall

Nicole Bohn

Office of Disability



Twitter.com/SharedSpacesSF



Instagram.com/SharedSpacessf



Facebook.com/SharedSpacesSF/



SF.gov/Shared-Spaces



SharedSpaces@sfgov.org

Who sponsors Shared Spaces?

共用空間在哪裡, 如何使用?

¿Dónde están los Shared Spaces y cómo se pueden utilizar?

NON-COMMERCIAL SHARED SPACES

非商業共用空間 Espacios compartidos no comerciales

COMMERCIAL SHARED SPACES

商業共用空間 Espacios compartidos comerciales

Sidewalk

人行道 Acera

Curbside Lane

路邊巷道 Carril de estacionamiento

Roadway

道路 Hoja de ruta

On Parcels

地塊上 En parcelas































Lakeside Landing
Oceanview



Groundplay Program










































視線與空氣流動 Visibilidad y Flujo de Aire



Allows airflow through structure

讓空氣在建築物內流動 Permite el flujo de aire a través de la estructura

Sightlines blocked No visibility above 42"

視線受阻 高於 42 英寸上方沒有能見度 Líneas visuales bloqueadas. Ninguna visibilidad arriba de 42"


3-foot-wide emergency access gap open to the sky not provided

未設置 3 英尺寬的向上敞開的缺口 Espacio de 3 pies de ancho abierto al cielo no proporcionado





視線與空氣流動 Visibilidad y Flujo de Aire





Allows airflow through structure

讓空氣在建築物內流動 Permite el flujo de aire a través de la estructura




Sightlines blocked
No visibility above 42"


視線受阻 高於 42 英寸上方沒有能見度 Líneas visuales bloqueadas. Ninguna visibilidad arriba de 42"




Fire Safety & Emergency Access









• A 3-foot-wide emergency access gap is required for every 20 feet of structure length, or from existing adjacent Shared Spaces.

每20英尺結構長度或鄰近的共用空間需設置一個3英尺寬、向上敞開的緊急通道缺口

Se requiere un espacio para acceso de emergencia de 3 pies de ancho abierto al cielo para cada 20 pies de largo estructural, o de los actuales Espacios Compartidos adjuntos


 Include an easily removable barrier for emergency personnel

為緊急應變人員設置一個容易拆卸的護欄 Incluir una barrera fácil de mover para el personal de emergencia

 Display address for each storefront on outside of enclosure


每個店面的圍欄外側應標有地址 Colocar la dirección de cada fachada en el exterior del área cercada

Equity Grants: Map Detail





- DPH defines "Areas of Vulnerability" as those neighborhoods with a higher density of "vulnerable" populations as defined by SFDPH, including but not limited to people of color, seniors, youth, people with disabilities, linguistically isolated households, and people living in poverty or unemployed.
- The AOV map has been used for DPH's Community Health Needs Assessment, the Health Care Services Master Plan and SF Planning's 2022 Housing Element Update
- Identified locations where AOVs were also heavily impacted by COVID-19 case rate of >100 per 10,000 =
- Included areas in the "other" COVID data category due to limited data

Shared Spaces Program - Tracker




Shared Spaces Program Statistics







^{*} Note that some sites require multiple approvals from different departments. Each approval review is counted above.


Shared Spaces Materials and Forms








Shared Spaces Signage System







Vinyl decal.

Applied white copy

sf.gov/Shared-Spaces-Manual